



EcoMats

Absorbent barrier carpet mat with high sustainability.



General

Category	Carpet Mats
Product Number	149
Product Family	Industrial & Commercial Matting
Product Group	Dust Control Matting
Product Name	EcoMats
Recommended use	For placement inside entrances in schools, universities, public buildings, sports facilities, shopping malls ect.
Type	Indoor/Outdoor Carpet Mat
Usage Intensity	Heavy Traffic
Colors	Charcoal
Sizes/weight	60x90 cm / 2,7 kg
	90x120 cm / 5,1 kg
	90x150 cm / 5,9 kg
	90x300 cm / 13 kg
	120x180 cm / 11,3 kg
	120x300 cm / 17,3 kg

Technical specifications

Application	Loose lay carpet mats
Edges	4
Material backing	Natural rubber
Material top	Carpet top consisting of 75% PET (absorbing) and 25% PP (brushing)
Process	Tufted loop pile moulded in to waffle pattern on to a rubber base
Pile weight (g)	830 gram/m ²
Total weight	4,4 kg/m ²
Thickness	10,5 mm
Custom sizes	N/A

Sustainability

REACH	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Recycled material	68% of the backing (recycled natural rubber) – 75% of top (plastic)
Warranty	2 years. (3-5 years durabilitet)

Product testing

Test	Norms	Results
Abrasion resistance	ASTM D3884	3,1% weight loss
Colour fastness to light	AATCC 16E	Rating 5
Anti-slip	DIN51130 / BGR181	R11
Water retention	U.S.	Up to 6 litres/ sqm.
Fire testing		
Classification of the reaction to fire performance	DIN EN 13501-1	Bfl-s1

